

GCSE (9-1)

Combined Science A (Gateway)

Unit **J250/09**: Chemistry

General Certificate of Secondary Education

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
√	Correct response
×	Incorrect response
^	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
LI	Level 1
L2	Level 2
L3	Level 3
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore

J250/09 Mark Scheme June 2018

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
1	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
_	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science A.

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

J250/09 Mark Scheme June 2018 For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question	Answer	Ma rks	AO element	Guidance
SECTION A	1			
1	C√	1	1.1	
2	B√	1	2.1	
3	D√	1	1.1	
4	C✓	1	1.1	
5	C✓	1	1.1	
6	D✓	1	2.1	
7	D✓	1	1.2	
8	B ✓	1	1.1	
9	A ✓	1	1.1	
10	C. √	1	2.2	

SE	SECTION B					
Q	Question		Answer	Marks	AO element	Guidance
11	(a)		Covalent bonds identified in tubes ✓ Idea that bonds are (very) strong / there are many bonds / bonds take lots of energy to break ✓	2	2 x 1.1	DO NOT ALLOW either mark for reference to intermolecular forces or ionic bonding Covalent bonds are strong(er) = 2 Giant covalent structures = 2
	(b)		(nanotubes contain) delocalised / free electrons ✓ (electrons) move ✓	2	2 x 1.1	IGNORE 'conduct electricity' as this is in the stem. IGNORE references to moving ions
	(c)	(i)	FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = 4.9 award 2 marks 7.9÷1.6 ✓ = 4.9 ✓	2	2 x 2.2	ALLOW 5 / 4.94 /4.938 / 4.9375 Check for incorrect rounding e.g. 4.93 would not score 2 marks
		(ii)	Any one from: Atoms are packed closer together (in metals) / ORA ✓ Carbon nanotubes have hollow spaces / holes ORA ✓ RAM of iron much bigger than RAM of C ✓	1	2.1	Assume 'it' refers to iron unless qualified. Beware of repeats of stem – 'iron is more dense than carbon' ALLOW (iron) layers are closer together
		(iii)	(Covalent) bonds are strong er (than metallic bonds) / more energy needed to break (covalent) bonds / ORA ✓	1	3.2a	DO NOT ALLOW Intermolecular forces references Assume 'they' relates to carbon

J250/09 Mark Scheme June 2018

Q	Question		Answer		AO element	Guidance
12	(a)		Al ₂ O ₃ ✓	1	2.1	ALLOW O ₃ Al ₂ DO NOT ALLOW A ² O ³
	(b)		Teacher is wrong / student is right (no mark)	1	3.1b	Mark is for explanation – Who is right or wrong can be implied in response.
			Any one from: Formula should be Mg(NO ₃) ₂ √			ALLOW MgNO ₃ would be charged (+)
			Idea that charges do not balance as Mg ion is 2+ and NO₃ is 1- ✓			
			The ratio of ions is 1:2 (Mg:NO₃) ✓			
	(c)	(i)	$Al_2S_3 + 6HCl \rightarrow 2AlCl_3 + 3H_2S \checkmark$	1	2.1	ALLOW correct multiples
		(ii)	(H₂S) is a gas ✓	1	2.1	ALLOW 'g'

Qı	uestio	n	Answer	Marks	AO element	Guidance
13	(a)	(i)	Labelled arrow (activation energy /A) from 1100 to 1600 ✓ Energy (KJ/mol) 1000 1200 E	1	2.1	ALLOW +/- 1 small square ALLOW label of E _A for activation energy
			1000 A S00 600 400 200 Reaction progress			
		(ii)	Labelled arrow (energy change /E) from 1100 to 520 ✓ Energy (KJ mol) 1200 1200 1200 A Reaction progress	1	2.1	ALLOW +/- 1 small square

0230			nark och		June 20	
Q	uestior	n Answer	Marks	AO element	Guidance	
13	(b)	Bond breaking is endothermic / takes in energy AND bond making is exothermic / gives out energy.	2	2 x 1.1	ALLOW bond breaking absorbs energy or heat ALLOW bond making releases energy or heat	
		More energy is given out (in bond making) than is taken in (in bond breaking) ✓			IGNORE references to different numbers of bonds, e.g. more bonds made than broken	
					DO NOT ALLOW references to intermolecular bonds	
					ALLOW exothermic reactions give out energy or heat / temperature rises / reactants have more energy than products ✓ if no other mark awarded	
	(c)	FIRST CHECK THE ANSWER ON ANSWER LINE	3	3 x 2.2		
		If answer = - 486 KJ/mol award 3 marks		2.2		
		(2 x 436) + 498 = 1370 ✓ 4 x 464 = 1856 ✓ 1370 – 1856 = - 486 KJ/mol ✓			ALL OW (0 to 400) to 400 (4 to 404) for 0 to order	
					ALLOW (2 x 436) + 498 – (4 x 464) for 2 marks	

J250/09 Mark Scheme June 2018

Q	Question		Answer		AO element	Guidance
14	(a)		Salt AND water AND carbon dioxide ✓	1	1.1	ALLOW in any order
	(b)		To measure pH / to tell when the acid is neutralised ✓	1	1.2	ALLOW to see if it is acid or alkaline
	(c)		1 x 10 ⁻¹ / 0.1 (mol/dm ³) ✓	1	2.2	
	(d)	(i)	3.7 ✓	1	2.2	ALLOW 8.9 to 12.6 – must state both lowest and highest value
						ALLOW 1.6 if anomaly is missed out of the range / 11.0 to 12.6
	(d)	(ii)	Any two from: Identifies result 6 as anomalous for one or both acids Identifies result 2 as anomalous to a lesser extent for one or both acids Idea that the majority of the results (1,3,4 and 5) are repeatable Idea that the majority of the results (1,3,4 and 5) are repeatable Idea that the majority of the results (1,3,4 and 5) are repeatable	2	2 x 3.1b	IGNORE suggested improvements to the method

		Iai k Ocileille		outle :		
Question	Answer	Marks	AO element	Guidance		
15*	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Correctly analyses the information to choose C for the storage box and explains all relevant properties linked to this polymer. AND Applies knowledge and understanding by relating the relative flexibility of polymer A AND B/C to their structure. There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Correctly analyses the information to choose C for the storage box and explains more than one reason for the choice of polymer based on properties. AND Applies knowledge and understanding by relating the relative flexibility of either polymer A OR B/C to its structure. There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence. Level 1 (1–2 marks) Correctly analyses the information to choose polymer B or C for the storage box and justifies choice based on property. There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant. O marks No response or no response worthy of credit.	6	2 x 3.2a 2 x 3.2b	AO2.1 Applies of knowledge and understanding of polymer structure. A is flexible because it has weak intermolecular forces between polymer chains, so the polymer chains can slide over each other B and C are rigid because they have strong covalent bonds / crosslinks between the polymer chains which require a large amount of energy to break AO3.2a / AO3.2b Analyses of information about polymers to make judgements and draw conclusions about which polymer is best for the storage box. Indicative scientific points may include: Polymer C is used for making storage boxes because: it has a relatively low density, so isn't heavy to lift / lightweight it is strong, so will not break easily / can carry heavy loads it is rigid, so will not bend / cannot be squashed Level 1 only Polymer B could be used for making storage boxes because: it is rigid.		

	Question	Answer	Marks	AO element	Guidance
16	(a)	Weak intermolecular forces / weak forces between molecules ✓ Idea that only need a small amount of energy to break these forces ✓	2	2 x2.1	DO NOT ALLOW reference to covalent bonds in incorrect context or references to ions
	(b)	2 shared pairs of electrons between carbon and one oxygen atom ✓ Rest of structure correct ✓	2	2 x2.1	Inner electrons not required but must be correct if shown. ALLOW all dot, all crosses or mixture of dots and crosses.
	(c)	Any two from: Transfer of electrons from metals to nonmetals Metals form positive ions and non-metals form negative ions Electrostatic forces / attraction between oppositely charged ions	2	2 x1.1	

	Question	Answer	Marks	AO element	Guidance
17	(a)	Any four from: Idea that most particles went straight through without being deflected ✓ Most of the atom is empty space ✓ Idea that a few particles were (slightly) deflected ✓ The nucleus (deflected the alpha particles	4	4 x1.2	ALLOW 'some' as AW for 'few' in this marking point only
		ldea that very few particles were (greatly) deflected back towards the source√ Most of the mass is found in the small nucleus. ✓			
	(b)	Any two from: can evaluate ideas / check results / can compare results ✓ can share ideas / have different views ✓ so that further evidence can be collected ✓ Idea that scientists provide information to other scientists or public or other organisations ✓ so they can get recognition for their work ✓	2	2 x1.1	

Question		Answer	Marks	AO element	Guidance
17	(c)	Electrons shells / electrons orbit /electrons have definite amounts of energy	1	1.1	
18		FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 6.4(g) award 2 marks $3.84 \div 96 = 0.04 \text{ moles } \checkmark$ $0.04 \times 160 = 6.4g \checkmark$ OR $96g \text{ (of (NH4)2CO3) makes 160g (of NH4NO3) } \checkmark$ $3.84g \text{ (of (NH4)2CO3) makes 6.4g (of NH4NO3) } \checkmark$	2	2 x2.2	ALLOW 3.84/96 x 80 = 3.2 for 1 mark as this is only 1 mistake i.e. not used stoichiometry in equation.
19		Any two advantages from: A and/or C shows number and type of atoms A and/or C shows type of bonds B and/or C shows how the atoms are connected in 3D (tetrahedral) B shows the comparative size of the atoms Any two disadvantages from: A only 2D A and/or C no indication of size of atoms B does not show number and type of atoms B does not show type of bonds B does not show type of bonds	4	2 x 3.1a 2 x 3.1b	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office

Telephone: 01223 552552 Facsimile: 01223 552553



